
PP LEVEL SP

Supports for outdoor raised floors



DESCRIPTION

PP level SP is a range of supports and correctors for the installation of outdoor raised floors with self-supporting slabs made of ceramic, natural stone or concrete in various sizes.
The product range consists of:

- SP1, fixed height support (14 mm);
- SP2, 1 mm thick corrector for the SP1 support;
- SP3, 3 mm thick corrector for the SP1 support.

PP level SP is the ideal solution where the height of the outdoor raised floor must be kept to a minimum and the walking surface must be parallel to the installation surface.







MATERIALS


PP (SP1, SP2, SP3)
Black polypropylene, resistant to both acidic and basic solutions and weathering.
Operating temperature -40°C +75°C.
Mechanical properties remain unchanged over time.

ENVIRONMENTAL IMPACT AND PRODUCT END-OF-LIFE

Non-hazardous waste, recyclable after disassembly of supports and correctors.
Supports and correctors are made of polypropylene (PP5).
All of the components are 100% recyclable.

DIMENSIONS AND TECHNICAL CHARACTERISTICS


Diameter	155 mm
Height	14 mm
Spacer tab thickness	4 mm
Spacer tab height	14 mm
Maximum compressive load	53,4 kN



INSTALLATION

Installation is made by dry positioning of the support on the existing surface: concrete slab, waterproof membrane, rigid insulating panel*, ceramic floors, stone floors, etc.
The installation surface must be smooth, clean, flat, compact, stable, mechanically resistant and must maintain these characteristics over time.
Depending on their position on site, the supports can be placed on top of one another and cut to size (see images below).
No adhesives or other types of fixings are required.
We recommend interposing a Profilpas rubber mat between the installation surface and the support.
The product requires specialised labour for installation.


*Check the mechanical characteristics of the rigid insulating panel with the manufacturer.



COMSUMPTION PER SQUARE METRE



30x60
40x40
50x50
60x60



40x80
45x90
60x90

30x120
40x120
60x120



80x80
90x90
100x100
120x120

SUPPORTI AL MQ
SUPPORTS PER SQM

DIM PIASTRELLE TILE SIZE (cm)	30	40	45	50	60	80	90	100	120
30	11,1				5,6				5,6
40		6,5			4,2	6,3			4,2
45			4,9				4,9		
50				4,0					
60	5,6	4,2			2,8		3,7		2,8
80		6,3				6,3			
90			4,9		3,7		4,9		
100								4	
120	5,6	4,2			2,8				2,8

CARE AND MAINTENANCE

PP
It requires no special maintenance.

FIRE PREVENTION MEASURES

In the event of fire, use chemical fire extinguishers, dry sand or solid extinguishing agents.

SUPPORTS FOR OUTDOOR RAISED FLOORS



SP1



SP2



SP3

PP LEVEL SP

ART.		Cod.	Pack	Pallet
SP1	fixed height support diam. 155x14 h.	19090	360 pcs	5760 pcs

no partial packaging

PP LEVEL SP - CORRECTOR FOR SP1

ART.		Cod.	Pack	Pallet
SP2	corrector for support SP1 thickness 1 mm	19092	1000 pcs	20000 pcs
SP3	corrector for support SP1 thickness 3 mm	19093	500 pcs	15000 pcs

no partial packaging

WARNING

Although the technical details and recommendations contained in this product data sheet correspond to the best of our knowledge and experience, all the above information must, in every case, be taken as merely indicative and subject to confirmation after long-term practical application; for this reason, anyone who intends to use the product must ensure beforehand that it is suitable for the envisaged application. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

Please refer to the current version of the Technical Data Sheet, available from our website profilpas.com

PRODUCT FOR PROFESSIONAL USE

LEGAL NOTICE

The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement or replace requirements per the TDS in force at the time of the PROFILPAS product installation.

The most up-to-date TDS can be downloaded from our website profilpas.com

ANY ALTERATION TO THE WORDING OR REQUIREMENTS CONTAINED OR DERIVED FROM THIS TDS EXCLUDES THE RESPONSIBILITY OF PROFILPAS.

Profilpas S.p.A.

Via Albert Einstein, 38, 35010 Cadoneghe (Padova)

+39 049 8878411 www.profilpas.com info@profilpas.com

13206-09-2026-en

Any reproduction of texts, photos and illustrations published here is prohibited and subject to prosecution.