
# TILE SPACERS AND WEDGES

**Accessories for installation**




## DESCRIPTION


**Tile Spacers and Wedges** is a range of plastic spacers and wedges used when installing ceramic and stone tiles of various sizes and thicknesses, suitable for both floors and walls.
They have been developed to assist the installer in positioning the tiles and to ensure uniform and precise grout lines.
Cross spacers (TILE SPACER DC) and “T” spacers (TILE SPACER DT) are available for joint widths ranging from 1 mm to 10 mm.
Wedges (TILE WEDGE CN) are used to compensate for small differences in height during tile installation.
The range is completed by cross-shaped spacers for outdoor use (TILE SPACER DCE4) for the dry-lay installation of self-supporting slabs.




TILE SPACER DC




TILE SPACER DT




TILE WEDGE CN

## FEATURES AND BENEFITS


- Cross spacers and “T” spacers
- For grout line widths from 1 to 10 mm
- Wedges to compensate for small differences in height
- Cross spacers also for outdoor use

## INSTALLATION


**Installation with adhesive**
Select the spacers according to the specified grout thickness.
Place the spacers at the corners of the tiles, in accordance with the chosen laying pattern and depending on your specific requirements.
Fill the joint with a suitable sealant.

**Installation without adhesive**
Place the spacers at the corners of the self-supporting slabs, in accordance with the chosen laying pattern and depending on your specific requirements.


## ACCESSORIES FOR INSTALLATION



DC



DT



CN


DCE4

**TILE SPACER DC**

| | box with 10 packs of 500 pcs | | | | | box with 20 packs of 250 pcs | |
|---|---|---|---|---|---|---|---|
| LxH | 1x5 | 2x5 | 3x5 | 4x5 | 5x5 | 7x6 | 10x8 |
| ART. | DC1 solid | DC2 solid | DC3 drilled | DC4 drilled | DC5 drilled | DC7 drilled | DC10 drilled |
| | 18992 | 19002 | 19008 | 19014 | 19020 | 19024 | 19030 |

no partial packaging

**TILE SPACER DT**

| | box with 10 packs of 500 pcs | | | | | box with 20 packs of 250 pcs | |
|---|---|---|---|---|---|---|---|
| LxH | 1x5 | 2x5 | 3x5 | 4x5 | 5x5 | 7x6 | 10x8 |
| ART. | DT1 solid | DT2 solid | DT3 drilled | DT4 drilled | DT5 drilled | DT7 drilled | DT10 drilled |
| | 19038 | 19042 | 19048 | 19054 | 19060 | 19064 | 19070 |

no partial packaging

**TILE WEDGE CN**

| pack | box with 20 packs of 250 pcs | box with 10 packs of 500 pcs |
|---|---|---|
| LxlxH | 9x28x5 | 9x28x5 |
| ART. | CN28 | CN28 |
| | 19080 | 19082 |

no partial packaging

**TILE SPACER DCE4**

| pack 2 bags with 50 pcs | | |
|---|---|---|
| ART. | | |
| DCE4 | cross spacer for outdoor tiles and 4-mm grouts | 19076 |

no partial packaging


*Tile spacers DT*


*Tile wedges CN*

## WARNING

*Although the technical details and recommendations contained in this product data sheet correspond to the best of our knowledge and experience, all the above information must, in every case, be taken as merely indicative and subject to confirmation after long-term practical application; for this reason, anyone who intends to use the product must ensure beforehand that it is suitable for the envisaged application. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.*

**Please refer to the current version of the Technical Data Sheet, available from our website profilpas.com**

PRODUCT FOR PROFESSIONAL USE

## LEGAL NOTICE

***The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement or replace requirements per the TDS in force at the time of the PROFILPAS product installation.***

***The most up-to-date TDS can be downloaded from our website profilpas.com***

ANY ALTERATION TO THE WORDING OR REQUIREMENTS CONTAINED OR DERIVED FROM THIS TDS EXCLUDES THE RESPONSIBILITY OF PROFILPAS.

**Profilpas S.p.A.**

Via Albert Einstein, 38, 35010 Cadoneghe (Padova)

+39 049 8878411 www.profilpas.com info@profilpas.com

**13387-10-2026-en**

Any reproduction of texts, photos and illustrations published here is prohibited and subject to prosecution.