
PROSTAIR

Stair nosing profiles



DESCRIPTION

Prostair is a complete system of profiles and related accessories for anchoring carpets on stairs.
The profiles, made of aluminium or brass, are available in different diameters and lengths.
The accessories include brackets and rings, which allow the carpets to be removed quickly for cleaning and/or replacement.
The knobs close the profiles.



151/11 150/ 163/ 155/16

MATERIALS

Bright aluminium
Polished brass
Chromium - plated brass

For further information, please refer to the section “MATERIALS AND CHARACTERISTICS” at the end of the current Price List Catalogue.

INSTALLATION

Use appropriate personal protective equipment (PPE), such as cut-resistant gloves, when handling the profile.
Remove the profiles and accessories from their packaging.
Check that the dimensions of the profiles are compatible with those of the accessories.
Measure the width of the stairs and the width of the carpet to define the positioning of the brackets or rings.
If using brackets, fix them to the inside corner between the riser and the tread.
If using rings, fix them as close as possible to the inside corner between the riser and the tread, so that the carpet fits snugly against the surfaces of the stairs.
Proceed by inserting the knobs into the profiles; these can slide freely within the brackets or rings for quick removal of the carpets for cleaning and/or replacement*.
If the brackets are closed, it is not necessary to insert the knobs.
Insert the profiles into the brackets or rings that have been previously fixed.

*To prevent the profiles from sliding, use brackets 177/16 with profiles 163/16 or 155/16.

CARE AND MAINTENANCE

The care and maintenance of the materials used for the manufacture of these profiles are closely related to the type of alloy and/or finish employed.
The following guidelines describe the operations required to restore the profile, as much as possible, to its original appearance.
These instructions are intended to provide general guidance on the timing and methods for cleaning; however, they must be assessed on a case-by-case basis.
It should be noted that specific responsibilities apply at every stage of the product's life cycle, starting from installation.

Aluminium
Aluminium does not require specific maintenance and can be easily cleaned using colourless alcohol diluted with water or neutral detergents diluted with water (e.g. products from the MAPEI ULTRACARE range). Do not use acidic or alkaline detergents.
Rinse using clean water only, employing non-abrasive sponges and/or cloths to avoid scratching or damaging the finish.
No maintenance with polishing products or similar substances is required.
Cement, adhesive and grouting materials must be promptly and carefully removed from the visible surface of the profile.

Brass
Brass does not require specific maintenance and can be easily cleaned using colourless alcohol diluted with water or neutral detergents diluted with water (e.g. products from the MAPEI ULTRACARE range). Do not use acidic detergents.
Rinsing must be carried out using water only, with non-abrasive sponges and/or cloths to avoid scratching and/or damaging the finish.
For maintenance, use commonly available polishing products.


FIRE PREVENTION MEASURES

In the event of fire, use chemical fire extinguishers, dry sand or solid extinguishing agents.


STAR NOSING PROFILES




151/11



150/



163/



155/16

PROSTAIR

length = 380 cm - diameter 11 - pack 20 pcs		
ART.	**finishing**	
ALUMINIUM		
151/11	bright polished silver	78430

PROSTAIR

pack 20 pcs

length cm			80	90	100	120	380
ART.	**finishing**						
ALUMINIUM		**diameter**					
		11	78311	78312	78313	78314	78319
150/	bright polished gold	**13**	78321	-	78323	-	78329
		16	-	-	-	-	78339
pack 10 pcs / blister							
4150/11/S	bright polished gold	**11**	21810	21811	21812	-	-


items 150/11, 150/13, 150/16 from 80 to 120 cm cannot be unpacked and are equipped with 2 knobs
items 150/11, 150/13, 150/16 from 380 cm can be unpacked and do not have knobs
item 150/13 from 380 cm, pack of 40 pcs - item 150/16, 380 cm, pack of 25 pcs
item 4150/11/S cannot be unpacked and equipped with 2 knobs

PROSTAIR


pack			10 pcs	10 pcs	10 pcs
length = 380 cm					
finishing					
BRASS		**diameter**	**11**	**13**	**16**
163/	polished		78801	78802	78803

OTHER PROFILES


length = 300 cm - pack 20 pcs		
ART.	**finishing**	**16x16**
ALUMINIUM		
155/16	bright polished gold	78379




175/11 + 174/




177/16




178/16



171/ + 170/



161/11 + 169/



168/16

ACCESSORIES - BRACKETS

pack 20 pcs			diameter		
ART.	**finishing**		**11**	**13**	**16**
BRASS					
175/11	chromium plated		78445	-	-
pack 20 pcs					
174/	polished		78410	-	78412
pack 10 couples 2 pcs dx/sx					
177/16	polished		-	-	78415
pack 20 pcs				measures	
				16x16	
178/16	polished			78420	

ACCESSORIES - RINGS

pack 20 pcs			diameter		
ART.	**finishing**		**11**	**13**	**16**
BRASS					
171/11	chromium plated		78440	-	-
pack 20 pcs					
170/	polished		78400	78401	78402
10 blister packs/ 4 pcs/blister					
4170/ /S	polished		21852	-	-

no partial packaging

ACCESSORIES - KNOBS

pack 20 pcs			diameter		
ART.	**finishing**		**11**	**13**	**16**
BRASS					
161/11	chromium plated		78435	-	-
pack 20 pcs					
169/	brass (for aluminium and brass profiles)		78395	78396	78397
pack 20 pcs					
				16x16	
168/16	polished			78418	

no partial packaging

WARNING

Although the technical details and recommendations contained in this product data sheet correspond to the best of our knowledge and experience, all the above information must, in every case, be taken as merely indicative and subject to confirmation after long-term practical application; for this reason, anyone who intends to use the product must ensure beforehand that it is suitable for the envisaged application. In every case, the user alone is fully responsible for any consequences deriving from the use of the product.

Please refer to the current version of the Technical Data Sheet, available from our website profilpas.com

PRODUCT FOR PROFESSIONAL USE

LEGAL NOTICE

The contents of this Technical Data Sheet ("TDS") may be copied into another project-related document, but the resulting document shall not supplement or replace requirements per the TDS in force at the time of the PROFILPAS product installation.

The most up-to-date TDS can be downloaded from our website profilpas.com

ANY ALTERATION TO THE WORDING OR REQUIREMENTS CONTAINED OR DERIVED FROM THIS TDS EXCLUDES THE RESPONSIBILITY OF PROFILPAS.

Profilpas S.p.A.

Via Albert Einstein, 38, 35010 Cadoneghe (Padova)

+39 049 8878411 www.profilpas.com info@profilpas.com

13282-08-2026-en

Any reproduction of texts, photos and illustrations published here is prohibited and subject to prosecution.